


Dimensions



Features and benefits

Flexible drive types

Regardless of vehicle design, the DF250 has the input drive you require. Choose torque converters of varying performances or select an efficient direct drive, the most economical design for both machine and operating costs.

Flexible gearing

Numerous configurations are available from 4-speed up to 8-speed. The customizable control also offers the ability to disable gear ranges permanently – at the factory with wiring harness changes, or simple flip of a switch.

Premium shift quality

Industrial vehicles perform a variety of operations with multiple duty cycles. DF250 shift quality is optimized with temperature and load compensation, so regardless of the job or the operator, maximum comfort and consistency are achieved.

Electronic control system

Your application will have a control program that you design.

- Shift lever – Bump-style is standard, but other styles can be accommodated
- Engine overspeed protection – OEM-specified for any engine and/or application
- Clutch protection – Prevents transmission damage due to rough operation
- Shuttle protection – Clutch protection and optimization of shuttle operations
- J1939 CAN communications – Enables interactivity with vehicle components including Multi-Feature CAN displays
- Self-calibration – Optimized shift quality can easily be initiated by the end-user
- Auto-shift option – Automatic shifting in optimum conditions for maximum fuel efficiency and transmission life



JOHN DEERE

John Deere Power Systems
3801 W. Ridgeway Ave.
P.O. Box 5100
Waterloo, IA 50704-5100
Phone: +1 800 553 6446
Fax: +1 319 292 5075
E-mail: jdpower@JohnDeere.com
www.JohnDeere.com/jdpower

John Deere Power Systems
Doornelei, 24
2018 Antwerpen
Belgium
Phone: +32 3 238 89 69
Fax: +32 3 248 54 98